Author Index

Ahmed, A. A., 18
Alonso, M., 1
Asai, S., 165

Baird, M. H. I., B57
Benes, P., 11

Castro, J. A., 89
Chalbi, M., 89
Christensen, F. M., 57
Clark, K. N., 35
Costa, J., 111

Datar, R., B49
De Lasa, H., 47
Do, D. D., B35
Doheim, M. A., 81

Elmaleh, S., B29
Esplugas, S., 111

Ford, J. D., 73
Foster, N. R., 35

Gardner, D., B1
Gebauer, A., B7
Grasmick, A., B29

Halilsoy, M., 147
Herman, J. M., 117, 123, 133
Hoffmann, H., B13
Hossain, M. M., B35

Ibarz, A., 111
Ibraheim, G. A., 81

Jørgensen, S. B., 57

Kalantar, A. H., 159
Kulkarni, B. D., 143

Linek, V., 11

Matsuhisa, S., B21
Mavituna, F., B1
Michelsen, M. L., 107
Mydlarz, J., 155

Oliveres, M., 1

Papaconstantinou, S., B29
Park, J. M., B1
Ponnani, K. N., 143
Prat, C., 111
Puigjaner, L., 1

Ravella, A., 47
Ravi Kumar, V., 143
Recasens, F., 1
Rios, G. M., B29
Rocourt, A. P. A. F., 117
Rodrigues, A. E., 89
Rosén, C.-G., B49

Saatci, A. M., 147
Sakai, K., B21
Sahinoglu, S., 99
Scheper, T., B7, B13
Schmidt, W., B13
Scholten, J. J. F., 123, 133
Schügerl, K., B7, B13
Shemilt, L. W., B57
Sun, C.-C., 65

Takesawa, S., B21
Tambe, S. S., 143
Tan, T. C., 73
Tanaka, H., 165
Tosun, I., 99
Tsezos, M., B57

Vacek, V., 11
van den Berg, P. J., 117, 123, 133
Verwater, H. J. C., 117
Vetere, A., 151
Vicente, M., 111
Villadsen, J., 107

Yih, S.-M., 65

Zoulalian, A., 89

© Elsevier Sequoia/Printed in The Netherlands

Author Index

Ahmed, A. A., 18
Alonso, M., 1
Asai, S., 165

Baird, M. H. I., B57
Benes, P., 11

Castro, J. A., 89
Chalbi, M., 89
Christensen, F. M., 57
Clark, K. N., 35
Costa, J., 111

Datar, R., B49
De Lasa, H., 47
Do, D. D., B35
Doheim, M. A., 81

Elmaleh, S., B29
Esplugas, S., 111

Ford, J. D., 73
Foster, N. R., 35

Gardner, D., B1
Gebauer, A., B7
Grasmick, A., B29

Halilsoy, M., 147
Herman, J. M., 117, 123, 133
Hoffmann, H., B13
Hossain, M. M., B35

Ibarz, A., 111
Ibraheim, G. A., 81

Jørgensen, S. B., 57

Kalantar, A. H., 159
Kulkarni, B. D., 143

Linek, V., 11

Matsuhisa, S., B21
Mavituna, F., B1
Michelsen, M. L., 107
Mydlarz, J., 155

Oliveres, M., 1

Papaconstantinou, S., B29
Park, J. M., B1
Ponnani, K. N., 143
Prat, C., 111
Puigjaner, L., 1

Ravella, A., 47
Ravi Kumar, V., 143
Recasens, F., 1
Rios, G. M., B29
Rocourt, A. P. A. F., 117
Rodrigues, A. E., 89
Rosén, C.-G., B49

Saatci, A. M., 147
Sakai, K., B21
Sahinoglu, S., 99
Scheper, T., B7, B13
Schmidt, W., B13
Scholten, J. J. F., 123, 133
Schügerl, K., B7, B13
Shemilt, L. W., B57
Sun, C.-C., 65

Takesawa, S., B21
Tambe, S. S., 143
Tan, T. C., 73
Tanaka, H., 165
Tosun, I., 99
Tsezos, M., B57

Vacek, V., 11
van den Berg, P. J., 117, 123, 133
Verwater, H. J. C., 117
Vetere, A., 151
Vicente, M., 111
Villadsen, J., 107

Yih, S.-M., 65

Zoulalian, A., 89

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Absorption
simultaneous absorption of hydrogen sulphide and carbon dioxide into potassium carbonate solution with or without amine promoters, 65
Acrylonitrile
modelling and simulation of styrene–acrylonitrile emulsion polymerization kinetics, 1
Aerated agitated vessels
a critical review and experimental verification of the correct use of the dynamic method for the determination of oxygen transfer in aerated agitated vessels to water, electrolyte solutions and viscous liquids, 11
Alumina SCS9
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133
Amine promoters
simultaneous absorption of hydrogen sulphide and carbon dioxide into potassium carbonate solution with or without amine promoters, 65
Annular photoreactor
influence of lamp position on available radiation flux in an annular photoreactor, 111
Arrhenius-like equations
estimation of the parameters of Arrhenius-like equations, 159

Bifurcation
infinite-period bifurcation for chemical reactions on catalytic surfaces: a simple model, 143
Binary batch distillation
optimal control of binary batch distillation with recycled waste cut, 57
Binary-solute adsorption
binary-solute-adsorption of dosed drugs on serum albumin, B21
Bioreactor
use of membranes to improve bioreactor performance, B13

Catalytic surfaces
infinite-period bifurcation for chemical reactions on catalytic surfaces: a simple model, 143
Centrifugal separation
centrifugal separation in the recovery of intracellular protein from *E. coli*, B49
Calcium oxide
reduction of cobalt sulphide in the presence of calcium oxide, 73
Callus tissue
determination of the effective diffusion coefficient of glucose in callus tissue, B1
Carbon dioxide
simultaneous absorption of hydrogen sulphide and carbon dioxide into potassium carbonate solution with or without amine promoters, 65
Catalytic fixed bed reactors
the pseudoadiabatic regime for catalytic fixed bed reactors: the limiting operating conditions, 47
Cobalt sulphide
reduction of cobalt sulphide in the presence of calcium oxide, 73
Continuous reactor
effects of nonuniform immobilized enzyme distribution in porous solid supports on the performance of a continuous reactor, B35
Continuous-phase mass transfer
continuous-phase mass transfer in a laminar suspended slug for a liquid–liquid system, 165
Critical volumes
methods for the estimation of critical volumes, 151

Deep bed filter equations
a new solution of the deep bed filter equations, 147
Diffusion coefficient
determination of the effective diffusion coefficient of glucose in callus tissue, B1
Distillation
optimal control of binary batch distillation with recycled waste cut, 57
Drugs
binary-solute-adsorption of dosed drugs on serum albumin, B21

Electrolyte solutions
a critical review and experimental verification of the correct use of the dynamic method for the determination of oxygen transfer in aerated agitated vessels to water, electrolyte solutions and viscous liquids, 11
Elution
the elution of radium adsorbed by microbial biomass, B57
Escherichia coli
monitoring of NADH-dependent culture fluorescence during the cultivation of *Escherichia coli*, B7
centrifugal separation in the recovery of intracellular protein from *E. coli*, B49

Filtration
on the constancy of average porosity in filtration, 99
Fixed bed
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133

© Elsevier Sequoia/Printed in The Netherlands

Fixed bed exchangers
heat transfer parameters in fixed bed exchangers, 89
Fluorescence
monitoring of NADH-dependent culture fluorescence during the cultivation of *Escherichia coli*, B7

Glucose
determination of the effective diffusion coefficient of glucose in callus tissue, B1

Heat-transfer measurements
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133
Heat transfer parameters
heat transfer parameters in fixed bed exchangers, 89
Homogeneous mixtures
prediction of the packed bed height in liquid–solid semi-fluidization of homogeneous mixtures, 155
Hydrocyclones
modelling of hydrocyclones at high feed-solids concentrations, 81
Hydroformylation
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) II. Influence of the degree of liquid loading on the catalytic performance of the rhodium-based supported liquid phase catalyst, 117
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133
Hydrogen sulphide
simultaneous absorption of hydrogen sulphide and carbon dioxide into potassium carbonate solution with or without amine promoters, 65

Immobilized enzyme distribution
effects of nonuniform immobilized enzyme distribution in porous solid supports on the performance of a continuous reactor, B35
Intracellular protein
centrifugal separation in the recovery of intracellular protein from *E. coli*, B49

Kinetics
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123

Laminar suspended slug
continuous-phase mass transfer in a laminar suspended slug for a liquid–liquid system, 165
Large-particle spouted bed
organic carbon conversion in a large particle spouted bed, B29
Liquid-liquid system
continuous-phase mass transfer in a laminar suspended slug for a liquid–liquid system, 165
Liquid loading
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) II. Influence of the degree of liquid loading on the catalytic performance of the rhodium-based supported liquid phase catalyst, 117
Liquid-solid semi-fluidization
prediction of the packed bed height in liquid–solid semi-fluidization of homogeneous mixtures, 155

Membranes
use of membranes to improve bioreactor performance, B13
Microbial biomass
the elution of radium adsorbed by microbial biomass, B57

NADH
monitoring of NADH-dependent culture fluorescence during the cultivation of *Escherichia coli*, B7
Neutron techniques
application of neutron techniques to studies of reactor fluid dynamics, 35

Olefins
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) II. Influence of the degree of liquid loading on the catalytic performance of the rhodium-based supported liquid phase catalyst, 117
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133
Organic carbon conversion
organic carbon conversion in a large particle spouted bed, B29
Orthogonal polynomials
construction of a set of orthogonal polynomials, 107
Oxygen
a critical review and experimental verification of the correct use of the dynamic method for the determination of oxygen transfer in aerated agitated vessels to water, electrolyte solutions and viscous liquids, 11

Packed bed height
prediction of the packed bed height in liquid–solid semi-fluidization of homogeneous mixtures, 155
Polymerization kinetics
modelling and simulation of styrene–acrylonitrile emulsion polymerization kinetics, 1
Porosity
on the constancy of average porosity in filtration, 99
Porous solid supports
effects of nonuniform immobilized enzyme distribution in porous solid supports on the performance of a continuous reactor, B35
Potassium carbonate
simultaneous absorption of hydrogen sulphide and carbon dioxide into potassium carbonate solution with or without amine promoters, 65
Propylene hydroformylation
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123
Pseudoadiabatic regime
the pseudoadiabatic regime for catalytic fixed bed reactors: the limiting operating conditions, 47

Radiation flux
influence of lamp position on available radiation flux in an annular photoreactor, 111
Radium
the elution of radium adsorbed by microbial biomass, B57
Reactor fluid dynamics
application of neutron techniques to studies of reactor fluid dynamics, 35
Recycled waste
optimal control of binary batch distillation with recycled waste cut, 57
Reduction
reduction of cobalt sulphide in the presence of calcium oxide, 73
Rhodium
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) II. Influence of the degree of liquid loading on the catalytic performance of the rhodium-based supported liquid phase catalyst, 117
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) IV. Heat-transfer measurements in a fixed bed containing alumina SCS9 particles, 133

Serum albumin
binary-solute-adsorption of dosed drugs on serum albumin, B21
Styrene
modelling and simulation of styrene–acrylonitrile emulsion polymerization kinetics, 1
Styrene–acrylonitrile emulsion
modelling and simulation of styrene–acrylonitrile emulsion polymerization kinetics, 1
Supported liquid phase catalyst
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) II. Influence of the degree of liquid loading on the catalytic performance of the rhodium-based supported liquid phase catalyst, 117
the industrial hydroformylation of olefins with a rhodium-based supported liquid phase catalyst (SLPC) III. The kinetics of propylene hydroformylation catalyzed by the rhodium-based supported liquid phase catalyst, 123

Viscous liquids
a critical review and experimental verification of the correct use of the dynamic method for the determination of oxygen transfer in aerated agitated vessels to water, electrolyte solutions and viscous liquids, 11

Water
a critical review and experimental verification of the correct use of the dynamic method for the determination of oxygen transfer in aerated agitated vessels to water, electrolyte solutions and viscous liquids, 11